

EXP. APR 11 1947 NoC 670183

V Race	NAME Fred Swindell Byers	V
M Sex	STREET 928 GOVERNMENTAL	H
5 Height ft. 9 1/2 in.	TOWN DETROIT, MICHIGAN	P
160 Weight lb.	SIGNATURE OF LICENSEE Fred Swindell Byers	Zip No 14
Color of Hair Brn	Color of Eyes Blue	
12 Month 7 Day 20 Year	License No. 86C	

IMPORTANT
IS HEREBY LICENSED TO OPERATE A MOTOR VEHICLE UNDER ACT 91 OF 1931, AS AMENDED.

Human H. Digney
SECRETARY OF STATE

The American Legion 1947
OFFICIAL MEMBERSHIP CARD

THIS IS TO CERTIFY THAT **Fred S. Byars.**
Has paid dues for the year indicated hereon

Judge John Faust POST NO. 113

LOCATED AT **Detroit, Michigan**

L. A. Quant
POST ADJUTANT OR

NOT VALID UNLESS COUNTERSIGNED BY THE MEMBER

F 238213

STATE OF TENNESSEE CHAUFFEUR'S LICENSE NOT GOOD AFTER JULY 1, 1947

DATE OF ISSUANCE MONTH DAY YEAR **Oct 5 1945** CONDITIONS **None** No. **38206C**

DATE OF BIRTH MONTH DAY YEAR 12-7-1920	RACE W	COLOR OF EYES Blue	WEIGHT 160 LBS.
OCCUPATION Cab Driver	SEX M	COLOR OF HAIR Brn.	HEIGHT 5 FT. 9 1/2 INS.

PRINT OR TYPE NAME **Fred Swindell Byars**
FIRST NAME MIDDLE OR MAIDEN NAME LAST NAME

STREET AND NUMBER **Warren Street**

CITY OR POSTOFFICE **McMinnville, Tenn.** STATE

WRITE USUAL SIGNATURE *Fred Swindell Byars*

SS. CYRIL & METHODIUS CHURCH
St. Cyril & Kern Ave., Detroit, Mich.

BAZAAR—November 6 to 13, 1949

NOV. 6th—\$100.00 Cash—Geo. Van Kula, Funeral Director, 9074 St. Cyril Ave.
7th—\$25.00 Cash—John J. Rusinack, Attorney, 6424 Van Dyke Ave.
8th—\$25.00 Cash—Henry Andre Hardware, 6000 Mt. Elliott Ave.
9th—Religious Articles—Joseph E. Soboslay, 8349 Van Dyke Ave.
10th—4 tons Coal—Cadillac Coal & Coke Co., 7365 Russell Ave.
11th—\$50.00 worth of Groceries—Adams Groceries, 9111 St. Cyril Ave.
12th—\$50.00 Cash—Dr. Victor J. Cervenak, 8225 Van Dyke Ave.

NOVEMBER 13TH
Grand Prize—1949 PLYMOUTH SEDAN

Acquired through Bliss Motors, Inc. 5925 Woodward Ave.

DONATION 50c

No prize given without this ticket.

No. 44205

WARNING!

The use of extra accessories, such as heaters, radios, etc., has created a current demand far in excess of generator capacity of most cars. If current used is not replaced by the generator, the battery will "run down" and a recharge will be necessary. If extra accessories are being used, advance the generator charging rate. If the charging rate of the generator is such that it cannot be raised to equal the load, there are three alternatives to correct this condition and avoid a badly sulphated battery.

1. The battery should be recharged regularly.
2. A home battery charger should be used.
3. An oversized air cooled generator of sufficient capacity should be installed.

INSTALLATION AND CARE OF THE BATTERY

1. Clean posts and terminals with steel wool. Securely tighten terminals and coat with grease.
2. Replace all worn or corroded cables and terminals.
3. Turn on lights. If ammeter shows "charge" battery is installed backwards and should be reversed for proper operation.
4. Fasten battery securely in carrier. Avoid fastening too tightly.
5. Add only distilled water. Check every two weeks. Normal level about 3/8 inch above plates. Never add acid or so-called "rejuvenators." Regular inspection will prolong battery life.

No. 188366 Sears, Roebuck and Co.

City of Detroit
DEPARTMENT OF STREET RAILWAYS

THIS IS TO CERTIFY

F. Byers 8959

has completed the prescribed course of instruction and is qualified to operate a **Twin-White-27-25 Pass Coach**

L. M. Sanford
Personnel Director

\$2.00

RESIDENT Hunting and Fishing 130177
Expires May 31, 1948 (Not a Trapping License)

Name **Fred Byars** F
Address **McMinnville, Tenn.** I
Color **W** Age **27** Ht **5-9** Wt **160** Eyes **Blue** Hair **Brn.** S
Alien Reg. No. Date **June 6-1947** H
Brown Seals N
(Signature of Licensee) G
(25c Fee for Duplicate License)

REGISTRATION CERTIFICATE
DETROIT, MICHIGAN

NAME **FRED BYARS**
WARD **21** DIST. **18**

I hereby certify that the above named elector registered as a voter of the City of Detroit in the Ward and District indicated on **9-13 1947**

Thomas D. Leadbetter
THOMAS D. LEADBETTER
CITY CLERK

See opposite side for transfer.
Form C of D-2-CE-A